Confirmation No.: 8169

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**First** Named

Inventor: Paul J. Hergenrother

Serial No.: 10/595,360 Examiner: Not yet assigned

Filing

Date: December 21, 2006 Group Art Unit: 1623

Title: METHODS OF DETECTING

POLY(ADP-RIBOSE)

POLYMERASE AND OTHER NAD+ UTILIZING ENZYMES

## INFORMATION DISCLOSURE STATEMENT

M.S. - AMENDMENT Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

In accordance with the provisions of 37 C.F.R. § 1.56, Applicants request that citation and examination of the references identified on the attached Form PTO-1449, required copies of which are enclosed herewith in accordance with 37 C.F.R. §1.98, be made during the course of examination of the above-referenced application for United States Letters Patent.

Respectfully submitted,

Evan Law Group, LLC 600 West Jackson Suite 625

Chicago, IL 60661 (312) 876-1400

Johathan P. Taylor, Ph.D. Reg. No. 48,338

Form PTO-1449 (Rev. 8-88)			Attorney Docket No. ILL01-009-US		Serial No. 10/595,360			
(1101.000	')			16201-009-03		10/393,300	!	
			First Named Inventor					
				Paul J. Hergenrother				
				Filing Date:		Group:		
INFOR		ON DISCLOSUF several sheets if necessity		December 21, 2006		1623		
·····								
			U.S. PATEN	IT DOCUMENTS				
Examiner	-						Filing	Date
Initials*		Document Number	Data	Nama	01	0	lf	
	A1	4,166,765	Date 09/1979	Name Weetall	Class	Subclass	Appro	opriate
				VVCctan				
	A2	5,177,075	01/1993	Suto et al.				
			FOREIGN PAT	ENT DOCUMENTS				
Examiner						Translation		
Initials*		Document Number	Date	Country	Class	Subclass	Yes	No
	B1	WO 2004/064739 A	08/2004	PCT				
			OTHER ITEMS	NON DATENT LITERATURE			***	· · · · · · · · · · · · · · · · · · ·
Examiner Initials*		Include, a		NON PATENT LITERATURE Title, Date, Publisher, Edition		_	es	
	C1			otoxicity by inhibiting poly(AD 78, pp. 590-598, 2000.	P-ribose) poly	merase," Bio	chemica	al and
	C2	Li et al., "Synthesis of Substituted 5[H]Phenanthridin-6-ones as Potent Poly(ADP-ribose)polymerase-1 (PARP1) Inhibitors," Bioorganic & Medicinal Chemistry Letters, 11, pp. 1687-1690, 2001.						
	С3	Decker et al., "An improved nonisotopic test to screen a large series of new inhibitor molecules of poly(ADP-ribose) polymerase activity for therapeutic applications," Clin. Cancer Res., Vol. 5, pp. 1169-1172, 1999.						
	C4	Brown et al., "Development of a high-throughput screening-amenable assay for human poly(ADP-ribose)						
	C5	polymerase inhibitors," J. Pharma. Toxicol. Meth., Vol. 47, pp. 137-141, 2002.  Cheung et al., "A Scintillation Proximity Assay for Poly(ADP-ribose) Polymerase," Anal. Biochem., Vol. 282, pp.						
		24-28, 2000.						
	C6	Pacheco-Rodriguez et al., "Measurement of poly(ADP-ribose) glycohydrolase activity by high resolution polyacrylamide gel electrophoresis: Specific inhibition by histones and nuclear matrix proteins," Mol. Cell Biochem, 193, pp. 13-18, 1999.						
	C7	Ying et al., "Poly(ADF	P-ribose) glycohydrola	ase mediates oxidative and ex	xcitotoxic neur	onal death,"	PNAS,	Vol.
		98, No. 21, pp. 12227-12232, 2001.  Menard et al., "Rapid assay of poly(ADP-ribose) glycohydrolase," Biochem. Cell Biol., Vol. 65, pp. 668-673,						
	C8	ivienaro et al., Rapio	i assay of poly(ADP-fi	bose) giyconyurolase, Bloch	ieni. Geli biol.,	voi. oo, pp. i	000-073	ο,

Examiner /Layla Bland/	Date Considered 07/30/2008
------------------------	----------------------------

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Nicotinamide in Serum," Analytical Biochemistry, No. 68, pp. 54-61, 1975.

C9

C10

Research, 978, pp. 99-103, 2003.

Lu et al., "Post-treatment with a novel PARG inhibitor reduces infarct in cerebral ischemia in the rat," Brain

Clark et al., "A Fluorimetric Method for Quantitation in the Picomole Range of N<sup>1</sup>-Methylnicotinamide and

Form PTO-1449 (Rev. 8-88)	Attorney Docket No. ILL01-009-US	Serial No. 10/595,360
	First Named Inventor Paul J. Hergenrother	
INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)	Filing Date: December 21, 2006	Group: 1623

Examiner Initials*		OTHER ITEMS - NON PATENT LITERATURE DOCUMENTS Include, as applicable: Author, Title, Date, Publisher, Edition or Volume, Pertinent Pages
าแเลเร	<u> </u>	
	C11	Putt et al., "An enzymatic assay for poly(ADP-ribose) polymerase-1 (PARP-1) via the chemical quantitation of NAD+: application to the high-throughput screening of small molecules as potential inhibitors," Analytical Biochemistry, 326, pp. 78-86, 2004.
	C12	Putt et al., "A nonradiometric, high-throughput assay for poly(ADP-ribose) glycohydrolase (PARG): application to inhibitor identification and evaluation," Analytical Biochemistry, Vol. 333, pp. 256-264, 2004.
	C13	Tong et al., "Poly(ADP-ribose) polymerase: a guardian angel protecting the genome and suppressing tumorigenesis," Biochimica et Biophysica Acta, 1552, pp. 27-37, 2001.
	C14	Bürkle, "PARP-1: A Regulator of Genomic Stability Linked with Mammalian Longevity," Chembiochem, 2, pp. 725-728, 2001.
	C15	Davidovic et al., "Importance of Poly(ADP-Ribose) Glycohydrolase in the Control of Poly(ADP-Ribose) Metabolism," Experimental Cell Research, 268 pp. 7-13, 2001.
	C16	Le Page et al., "Poly(ADP-ribose) Polymerase-1 (PARP-1) Is Required in Murine Cell Lines for Base Excision Repair of Oxidative DNA Damage in the Absence of DNA Polymerase β," The Journal of Biological Chemistry, Vol. 278, No. 20, pp. 18471-18477, 2003.
	C17	Shall et al., "Poly(ADP-ribose) polymerase-1: what have we learned from the deficient mouse model?," Mutation Research, 460, pp. 1-15, 2000.
	C18	Delaney et al., "Potentiation of Temozolomide and Topotecan Growth Inhibition and Cytotoxicity by Novel Poly(adenosine Diphosphoribose) Polymerase Inhibitors in a Panel of Human Tumor Cell Lines," Clinical Cance Research, Vol. 6, pp. 2860-2867, 2000.
	C19	Griffin et al., "The role of inhibitors of poly(ADP-ribose) polymerase as resistance-modifying agents in cancer therapy," Biochimie, 77, pp. 408-422, 1995.
	C20	Cosi C., "New inhibitors of poly(ADP-ribose) polymerase and their potential therapeutic targets," Expert Opin. Ther. Patents 12, pp. 1047-1070, 2002.
	C21	Sims et al., "Poly (ADP-ribose) Polymerase Inhibitors Preserve Nicotinamide Adenine Dinucleotide and Adenosine 5'-Triphosphate Pools in DNA-Damaged Cells: Mechanism of Stimulation of Unscheduled DNA Synthesis," Biochemistry, 22, pp. 5188-5194, 1983.
	C22	Schraufstatter et al., "Hydrogen Peroxide-Induced Injury of Cells and Its Prevention by Inhibitors of Poly(ADP-Ribose) Polymerase," Proceedings of the National Academy of Sciences of the United States of America, Vol. 83, No. 13, pp. 4908-4912, 1986.
	C23	Szabo et al., "Role of Poly(ADP-ribose) sythetase in inflammation and ischaemia-reperfusion," Trends Pharm. Sci., Vol. 19, pp. 287-298, 1998.
	C24	Thiemermann et al., "Inhibition of the activity of poly(ADP ribose) synthetase reduces ischemia-reperfusion injur in the heart and skeletal muscle," Proc. Natl. Acad. Sci., USA, Vol. 94, pp. 679-683, 1997.
	C25	Kaufmann et al., "Specific Proteolytic Cleavage of Poly(ADP-ribose) Polymerase: An Early Marker of Chemotherapy-induced Apoptosis," Cancer Research, 53, pp. 3976-3985, 1993.
	C26	Lazebnik et al., "Cleavage of poly(ADP-ribose) polymerase by a proteinase with properties like ICE," Nature, Vol. 371, pp. 346-347, 1994.
	C27	Tewari et al., "Yama/CPP32β, a Mammalian Homolog of CED-3, Is a CrmA-Inhibitable Protease That Cleaves the Death Substrate Poly(ADP-Ribose) Polymerase," Cell, Vol. 81, pp. 801-809, 1995.
	C28	Scovassi et al., "Poly(ADP-ribosylation) and apoptosis," Molecular and Cellular Biochemistry, 199, pp. 125-137, 1999.
	C29	Smith, "The world according to PARP," Trends in Biochemical Sciences, Vol. 26, No. 3, pp. 174-179, 2001.
	C30	Ruf et al., "Structure of the Catalytic Fragment of Poly(ADP-Ribose) Polymerase from Chicken," Proceedings of the National Academy of Sciences of the United States of America, Vol. 93, No. 15, pp. 7481-7485, 1996.
	C31	Ruf et al., "Inhibitor and NAD* Binding to Poly(ADP-ribose) Polymerase As Derived from Crystal Structures and Homology Modeling," Biochemistry, 37, pp. 3893-3900, 1998.
	C32	Virág et al., "The Therapeutic Potential of Poly(ADP-Ribose) Polymerase Inhibitors," Pharmacological Reviews, Vol. 54, No. 3, pp. 375-429, 2002.

Form PTO-1449 (Rev. 8-88)	Attorney Docket No. ILL01-009-US	Serial No. 10/595,360
	First Named Inventor Paul J. Hergenrother	
INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)	Filing Date: December 21, 2006	Group: 1623

Examiner		OTHER ITEMS - NON PATENT LITERATURE DOCUMENTS
Initials*		Include, as applicable: Author, Title, Date, Publisher, Edition or Volume, Pertinent Pages
	C33	Southan et al., "Poly(ADP-Ribose) Polymerase Inhibitors," Current Medicinal Chemistry, 10, pp. 321-340, 2003.
	C34	Tentori et al., "Potential Clinical Applications of Poly(ADP-Ribose) Polymerase (PARP) Inhibitors," Pharmacological Research, Vol. 45, No. 2, pp. 73-85, 2002.
	C35	Dillon et al., "A FlashPlate Assay for the Identification of PARP-1 Inhibitors," J. Biomol. Screening, 8, pp. 347-352, 2003.
	C36	Huff, "The Fluorescent Condensation Product of $N^{T}$ -Methylnicotinamide and Acetone, I. Synthesis and Properties," The Journal of Biological Chemistry, 167, pp. 151-156, 1947.
	C37	Huff et al., "The Fluorescent Condensation Product of N'-Methylnicotinamide and Acetone, II. A Sensitive Method For The Determination Of N'-Methylnicotinamide In Urine," The Journal of Biological Chemistry, 167, pp. 157-167, 1947.
	C38	Levitas et al., "The Fluorescent Condensation Product of N'-Methylnicotinamide and Acetone, III. A Rapid Fluorometric Method For The Determination Of The Total Pyridine Nucleotides In The Red Blood Cells," The Journal of Biological Chemistry, 167, pp. 169-175, 1947.
	C39	Robinson et al., "The Fluorescent Condensation Product of N'-Methylnicotinamide and Acetone, IV. A Rapid Method For The Determination Of The Pyridine Nucleotides In Animal Tissues. The Coenzyme Content Of Rat Tissues," The Journal of Biological Chemistry, 170, pp. 653-659, 1947.
	C40	Carpenter et al., "The Fluorimetric Estimation of N'-Methylnicotinamide and its Differentiation from Coenzyme I," Biochem. J., 46, pp. 421-426, 1950.
	C42	Nakamura et al., "Fluorometric Assay of α-Methylene Carbonyl Compounds with <i>N</i> <sup>1</sup> -Methylnicotinamide Chloride," Analytical Chemistry, Vol. 50, No. 14, pp. 2047-2051, 1978.
	C43	Sano et al., "Fluorometric Determination of <i>N</i> -Nitroso- <i>N</i> -methylurea with Nicotinamide and Acetophenone," Analytical Sciences, Vol. 17, pp. 375-378, 2001.
	C44	Eliasson et al., "Poly(ADP-ribose) polymerase gene disruption renders mice resistant to cerebral ischemia," Nature Medicine, Vol. 3, No. 10, pp. 1089-1095, 1997.
	C45	Takahashi et al., "Post-treatment with an inhibitor of poly(ADP-ribose) polymerase attenuates cerebral damage in focal ischemia," Brain Research, 829, pp. 46-54, 1999.
	C46	Banasik et al., "Specific Inhibitors of Poly(ADP-Ribose) Synthetase and Mono(ADP-Ribosyl)transferase," The Journal of Biological Chemistry, Vol. 267, No. 3, pp. 1569-1575, 1992.
	C47	Moroni et al., "Poly(ADP-ribose) polymerase inhibitors attenuate necrotic but not apoptotic neuronal death in experimental models of cerebral ischemia," Cell Death and Differentiation, 8, pp. 921-932, 2001.
	C48	International Search Report and Written Opinion for PCT/US2004/034010 dated May 2, 2005, 13 pages.